

Recreational Towing for Motorhomes



Tow Bars • Baseplates • Braking Systems • Electrical • Accessories



Strong As An Ox™

Flat Towing with a Blue Ox Tow Bar

Flat towing requires a towing package consisting of six components to safely tow a vehicle:

1. TOW BARS

A receiver mount, ball mount, or pintle ring tow bar rated for towing the weight of the towed vehicle with safety cables.

2. BASEPLATES

A baseplate specifically designed for the towed vehicle. The baseplate attaches to the frame of the towed vehicle, creating a secure platform to connect the tow bar.

3. SUPPLEMENTAL BRAKE

A supplemental brake slows the towed vehicle at the same rate as the towing vehicle, reducing shock on the towing system and eliminating unnecessary shock wear on the towed vehicle's frame and avoids rapid wear of tires and other components.

4. DROP RECEIVER

A drop receiver allows the tow vehicle to be level with the towed vehicle. If a deviation must occur, then it is recommended that the hitch receiver be no more than 3" above or below the attachment tabs of the baseplate.

5. WIRING KIT

Provides brake, tailight, and turn signal lighting for your towed vehicle. Three types are available: Bulb & Socket, Diode, and LED.

6. ELECTRICAL CABLE

Provides electricity to the towed vehicle for the wiring system.

Blue Ox tow bars should only be used with vehicles that are flat towable or have been equipped to be towed.

Follow towing procedures in the vehicle owners manual.



Ascent[™]

BX4370 2" Receiver BX4375 2-1/2" Receiver

Lightweight

- 31 pounds
- Aircraft grade aluminum
- 7500 lb capacity
- Maneuver tight corners: legs are 2" longer
- No centering pin easy to stow, easy to store

Easy to Use

- Non-binding latches
- Off-set triple lugs will not wear out baseplate tabs eliminates back and forth movement
- Rubber boots prevent dirt and grime protect the legs and prevent binding





Turn Heads

- Diamond Vogel metallic powder coat
- Raised premium gold toned nameplate

Safety Cables Included • 3 Year Warranty



Avai

BX7420 2" Receiver BX7425 2-1/2" Receiver

Longer Legs

- More room between the RV and the towed vehicle for turns
- More room for hookup
- Easier to maneuver around obstacles
- Better tracking for the towed vehicle

Easy to Use

- Patented non-binding latches
- Off-set triple lugs will not wear out baseplate tabs eliminates back and forth movement
- Rubber boots prevent dirt and grime protect the legs and prevent binding





BX88308 7 to 6 Avail Accessory Kit 7-6 wire electrical cable • Bulb and socket kit 3-lock set • 4-diode kit • Tow bar cover

High Style

- Brilliant copper toned powder coat
- Complementary and distinctive badging with gold accents

Safety Cables Included • 3 Year Warranty

Receiver Mount Tow Bars

Safety Cables included • 3 Year Warranties





BX7445 2" Receiver BX7450 2-1/2" Receiver

- Ball-in-socket design reduces wear
- 360-degree swivel for easy hookup
- 10,000 lb capacity



BLUE OX

BLUE OX

BX88229 Accessory Kit

• 3-lock kit and

• Tow bar cover

• Bulb and socket wiring kit

6-wire coiled electrical cable

Alpha™ BX7365 2" Receiver

- Easily folds away
- Steel construction
- 6,500 lb capacity









BX88248 Allure 2" Ball Adapter Shown installed.

BX88249 Allure **2" Receiver Adapter** Shown installed.

Ball Mount Tow Bars



• Tow bar cover

Accessories

BX8875 Aladdin[™]/Alpha[™]/Aventa[™] LX **Tow Bar Cover**



BX882317 to 6 Accessory Kit

- 7-6 wire electrical cable
- Bulb and socket kit
- 3-lock set
- 4-diode kit



Pintle Ring Tow Bar

Allure™ **BX7460P**

- Designed for heavy-duty towing
- Tight turning radius
- Pintle hook
- Collapsible legs
- 10,000 lb capacity



BX88250 Allure 2" Clevis Adapter Shown installed.

Acclaim[™]

BX4330

- Automatically locks into towing position
- Detaches with two pins
- Folds and stores on the front of the towed vehicle
- Ball coupler
- 5,000 lb capacity

Adventurer[™]

BX7322

- Folding A-frame
- Adjustable legs 16" to 36"
- 28 lbs
- 5,000 lb capacity



Baseplates

Forget the brackets.

- Cosmetically appealing installation
- Links for safety cable attachment
- Bolts securely to the chassis
- Spreads towing forces equally
- Weight placed on the suspension at a minimum



No pins. No clips. No reaching under the vehicle.



To install tab: Insert and twist to lock.



To remove tab: Pull ring, twist, remove.

Accessories



BX88134 Baseplate Tab Storage Bag



Tow Bar Adapter kits



BX8833 Universal adapter kit adapts Valley, Reese[®], DrawTite[®], EazLift[®] Universal, Husky[®] and other tow bars made from 1" x 2" tube to a Blue Ox[®] baseplate.



BX88230 General purpose adapter kit adapts non-Blue Ox[®] baseplates to Blue Ox[®] tow bars with cross angle. Also a foundation to build a baseplate to fit Blue Ox[®] tow bars.



BX88262

Blue Ox[®] triple lug kit for Roadmaster[®] adapter to Blackhawk[®] 2 All Terrain[™] tow bars.



BX88151

Blue Ox[®] triple lug kit for Roadmaster[®] adapter to Falcon[™] All-Terrain[™], Sterling All-Terrain[™], and Eagle[™] tow bars.



BX88178

Aventa® and Roadmaster® Kit, 6,500 lb rtg Adapt Blue Ox® tow bar to Roadmaster® bracket. Includes cross bar.

Off-Road Bumper Adapters

Bumper adapters are designed for use with Blue Ox Tow Bars equipped with standard triple lugs.



A

BX88307 Connect Blue Ox tow bar lugs to an aftermarket off-road bumper. 1" Pin. **BX88296** Off Road Adapter Kit. 7/8" Pin.



BX88303 Bulldog® bumper adapter.







BX88301 Offset double lug, Rugged Ridge[®] bumpers.



BX88304 Smittybuilt® XRC Atlas bumper adapter.

Connect to the tow vehicle's electrical system in as little as 15 minutes.



Kits include wiring for a towed vehicle's:

Taillights • Turn signals • Brake lights

Fuse Bypass Switches

Flip a switch instead of removing fuses.

- Tow without draining the towed vehicle's battery
- Stop removing fuses—switch maintains the fuses' functionality when driving the towed vehicle
- Stop losing fuses
- Quick install



EZ-Light Wiring Kits



Find the Right EZ-Light and Fuse Bypass Switch Fit at blueox.com

Coiled Electrical Cables





BX8861 4-Wire

BX8862 6-Wire



BX88206 7 to 6-Wire



BX88254 7 to 4-Wire



- Locking connector and expanding cable virtually eliminates accidental disconnects
- Molded design allows for less wear and tear and protects wiring in all weather conditions
- Cables expand from 1' to 7'
- Trailer plug sockets included
- Wire connectors are encased in silicone



Wiring Kit

Connects RV's tail, brake, and turn signal lights to towed vehicle's light system. Includes 26' long, 4-wire harness; 3 diodes; and detailed instructions. Diodes prevent electrical feedback. BX8848 4 Diode wiring kit

Taillight

Wiring Kit Connects towed vehicle light system

prevent electrical feedback.

BX8811 Taillight Wiring Kit

to the RV's wiring. Includes diodes to

towing vehicle.

211年7月1

· 10: 11: 11: 11: 1

e 11 11 11 11 11:

LED bulb & socket kits are brighter and smaller than bulb & socket kits, allowing for ease of installation in compact taillight housings. Do not tap into the vehicle's existing wiring & are operated by the towing vehicle. BX88267 Taillight Wiring Kit

Wiring Kits



Bulb & Socket Taillight Wiring Kit

The bulb & socket kit does not tap into the vehicle's existing wiring. Fits most vehicles with clearance in taillight. Operated by the

BX8869 Bulb/Socket Wiring Kit



Red LED Taillight Wiring Kit



Diode Kit with 50 OHM Resistor

Connects brake, taillights, and turn signals. In-line resistor on the wiring harness for vehicles with LED brake and running lights on the same wire.

BX88334 4 Diode Kit with 50 OHM Resistor



Clear LED Taillight Wiring Kit

LED bulb & socket kits are brighter and smaller than bulb & socket kits, allowing for ease of installation in compact taillight housings. Do not tap into the vehicle's existing wiring & are operated by the towing vehicle. BX88269 Taillight Wiring Kit

Hitch Immobilizer

Hitch Locks

Secures a Blue Ox[®] tow bar to a baseplate and receiver hitch to prevent theft. Prevents accidental unhitching. 3 and 4 lock sets have matched keys.

BX88101

1/2"

2" Rec.

BX88224 2" Rcvr Hitch Immobilizer BX88225 2.5" Rcvr Hitch Immobilizer

Eliminate jerking, excess movement and rattling between the receiver hitch and the ball mount. tow bar or drop or rise receiver. Works on any receiver hitch.

33

Tow bar should be within 3" of level (above or below the receiver) when towing and to make sure to check the towed vehicle weight rating when selecting a drop/rise receiver.



BX88128 2" Rise/Drop. 5,000 lbs, 7-3/4" long





BX8858 5/8" 2"Rec. Class III-IV-V

BX8859 1/2" **3-Lock kit (1)** 5/8"and (2) for Baseplate Class II for Baseplate



BX88177 4-Lock kit (2) 5/8" and (2) 1/2" for Baseplate 2" Rec.



BX88212 5/8" x 4" Lock for 2-1/2" Rec.



BX88130 6" Rise/Drop. 5,000 lbs, 7-3/4" long



BX88132 10" Rise/Drop. 5,000 lbs, 11-1/2" long

Safety Cables

BX88196 Safety Cable 7,500 lb rating, 7 ft.

Plastic-coated, aircraft-grade cable with heavy duty connectors.

BX88197 Safety Cable 10,000 lb rating, 7 ft.

Plastic-coated, aircraft-grade cable with heavy duty connectors.

BX88208 Baseplate Cable Kit, 10,000 lb rating

Plastic-coated, aircraft-grade cable with heavy duty connectors. Add additional security from baseplate to frame. Can be added after initial baseplate installation.









BX88241 7" Rise/Drop. 10,000 lbs, 10-3/8" long



BX88264 12" Receiver Extension

Rise/Drop Receivers, Extensions



BX88129 4" Rise/Drop, 5.000 lbs. 7-3/4" long



BX88131 8" Rise/Drop, 5,000 lbs, 11-1/2" long



BX88235 3" Rise/Drop, 10,000 lbs, 10-3/8" long



BX88187 Receiver Reducer 2-1/2" to 2"



BX88265 **6" Receiver Extension**



KARGARD[™] Deflector вх8870

- Protects towed vehicle from road debris
- Easily folds for storage
- Aluminum mounting equipment

- Quick and easy installation
- All mounting hardware included

Ascent[™]/Avail[™]Accessories







Alpha[™] • Aventa[™] • Aladdin[™] Accessories





BX88229 Accessory Kit

- Bulb and socket wiring kit
- 6-wire coiled electrical cable
- 3-lock kit and
- Tow bar cover

BX88309 Ascent/Avail™ Tow Bar Cover

BX88341 7 to 6 Ascent Accessory Kit

- 7-6 wire electrical cable
- Bulb and socket kit
- 3-lock set
- 4-diode kit
- Tow bar cover

BX88308 7 to 6 Avail Accessory Kit

- 7-6 wire electrical cable
- Bulb and socket kit
- 3-lock set
- 4-diode kit
- Tow bar cover

BX8875 Aladdin[™]/Alpha[™]/Aventa[™] LX Tow Bar Cover



BX88231 7 to 6 Accessory Kit

- 7-6 wire electrical cable
- Bulb and socket kit
- 3-lock set
- 4-diode kit
- Tow bar cover

Patriot[®] II In Vehicle Electronic Braking System

BLUE O

BLOEOX

Patriot II

• All electric

- No pre-charging required
- No pumps, tanks or air hoses
- Works on hybrids
- In-coach controller
- Lightweight and self-contained
- Breakaway included
- Two year warranty

BRAKE











BRK2512 Patriot[®] II **Adjustable Brake Claw**

BRK2514 Patriot[®] II Adjustable Brake Claw for Fiat 500

> **BRK2503** Patriot[®] II **Seat Stiffener**

Toll-free 24/7 Customer Care 800-228-9289 Email: info@blueox.com



blueox.com • 800-228-9289 f facebook.com/blueoxproducts > You Tube

292-7061 © 2017 Blue Ox, One Mill Road, Industrial Park, Pender Nebraska 68047